

# SLOAN FLUSHOMETERS AND PARTS



Unique Dual Flushing Action – Up for Liquid Waste, Down for Solid Waste – Saves Up to 30% of Water Usage

Over The Handle Flushometer Retrofit Kit Modifies Manual Valves to Water Saving, Convenient, Automatic Valves



## SLOAN UPPERCUT™ DUAL FLUSH FLUSHOMETER

Dual Flush exposed diaphragm type flushometer complete with stop and vacuum breaker tailpiece. Lifting handle UP initiates reduced flush (1.1 GPF/4.2 LPF), eliminating liquid and paper waste saving 1/2 gallon of water. Pushing handle DOWN initiates full flush (1.6 GPF/6.0 LPF) eliminating solid waste and paper. Antimicrobial coating on handle protects against germs. Distinctive green ADA compliant metal non-hold open handle with triple seal packing signifies water conservation device. Includes Sloan Royal internal components. Diaphragm, handle seal, stop seat and vacuum breaker molded of PERMEX™ rubber compound for chloramine resistance. 1" screwdriver Bak-Chek® angle stop. Spud coupling and flange for 1-1/2" top spud. High back pressure vacuum breaker. Adjustable tailpiece. Includes two adhesive backed metal wall plates etched with instructions.

## SLOAN EBV-200-A SMOOTH™ SIDE MOUNT FLUSHOMETER OPERATOR

Battery powered, sensor operated retrofit conversion, unit for exposed closet and urinal flushometers.

- Installs in minutes • Slides over existing flushometer handle
- Only tool needed is a screwdriver • Automatic flushing to provide the ultimate protection against contamination
- Battery powered for convenience with no wiring hookups
- ADA compliant • Adjustable operating cycle with override button
- Includes four replaceable C size batteries
- Smart looking, modern design complements any washroom

Retrofit Handle Assembly For Exposed Low Consumption Closet Flushometers



Fits All Sloan Flushometers. Perfect for Sloan's diaphragm flushometers...ROYAL®, REGAL PRO®, AND REGAL®. Easily converts your manual flushometer to modern water-saving electronics.

## SLOAN UPPERCUT™ WATER CONSERVATION TUNE-UP KIT

Lifting handle UP initiates reduced flush (1.1 GPF/4.2 LPF) eliminating liquid and paper waste saving 1/2 gallon of water. Pushing handle DOWN initiates full flush (1.6 GPF/6.0 LPF) eliminating solid waste and paper. Reduce water usage by 30% when activated UPWARDS. Antimicrobial coating on handle protects against germs. Distinctive green ADA compliant metal non-hold open handle with triple seal packing signifies water conservation device. Includes two adhesive backed metal wall plates etched with instructions.

## SIDE MOUNT FLUSHOMETER OPERATOR

Sloan's Side Mount Operator gives you these extra features:

- Programmable automatic flushing systems • Sensor-operated for touch-free performance • Tempered glass lens • Adjustable infrared sensing • Low battery light notification • Courtesy flush button • Chrome metal cover for easy cleaning • Standard "C" batteries included

The EBV-89A models come with a courtesy flush button and feature an audio signal when batteries need to be replaced.

Item No.	OEM	Description
445361	WES-111/3720000	Uppercut™ Dual Flush - Complete Valve with 9" Tailpiece
445379	WES-115/3720300	Uppercut™ Dual Flush - Complete Valve with 21-1/2" Tailpiece
445346	WES-212	1.1 GPF Dual Flush Retro Fit Handle Kit
447300	3325201	EBV-200-A Smooth™ (Side-Mount-Operator-Over-The-Handle) Unit
338590	0325105	EBV-89A-M for Water Closets and Urinals, Metal Cover
338616	0325108	EBV-89A-P for Water Closets and Urinals, Plastic Cover



Offering more than 800 green products, EcoSource spans each of the United States Green Building Council's MRO-related categories for sustainable buildings: Energy and Atmosphere, Water Conservation, Indoor Environmental Quality, and Material Selection.

The checklist below lists the Leadership in Energy and Environmental Design (LEED) Operations & Maintenance certification credits that EcoSource products can potentially help you attain.

## LEED for Existing Buildings: Operations & Maintenance\*

Yes			
<b>3</b>	<b>Water Efficiency</b>		<b>10 Points</b>
1	Credit 2.1	Additional Indoor Plumbing Fixture and Fitting Efficiency, 10%	1
1	Credit 2.2	Additional Indoor Plumbing Fixture and Fitting Efficiency, 20%	1
1	Credit 2.3	Additional Indoor Plumbing Fixture and Fitting Efficiency, 30%	1
Yes			
<b>16</b>	<b>Energy &amp; Atmosphere</b>		<b>30 Points</b>
15	Credit 1	Optimize Energy Efficiency Performance	15
1	Credit 5	Refrigerant Management	1
Yes			
<b>8</b>	<b>Materials &amp; Resources</b>		<b>14 Points</b>
1	Credit 1.1	Sustainable Purchasing - Ongoing Consumables, 40%	1
1	Credit 1.2	Sustainable Purchasing - Ongoing Consumables, 60%	1
1	Credit 1.3	Sustainable Purchasing - Ongoing Consumables, 80%	1
1	Credit 3	Sustainable Purchasing - Facility Alterations and Additions	1
1	Credit 4.1	Sustainable Purchasing - Reduced Mercury in Lamps, 90 pg/lum-hr	1
1	Credit 4.2	Sustainable Purchasing - Reduced Mercury in Lamps, 70 pg/lum-hr	1
1	Credit 7.1	Solid Waste Management - Ongoing Consumables, 50%	1
1	Credit 7.2	Solid Waste Management - Ongoing Consumables, 70%	1
Yes			
<b>7</b>	<b>Indoor Environmental Quality</b>		<b>19 Points</b>
1	Credit 2.2	Occupant Comfort - Occupant Controlled Lighting	1
1	Credit 3.1	Green Cleaning - High-Performance Cleaning Program	1
1	Credit 3.4	Green Cleaning - Sustainable Cleaning Products and Materials, 30%	1
1	Credit 3.5	Green Cleaning - Sustainable Cleaning Products and Materials, 60%	1
1	Credit 3.6	Green Cleaning - Sustainable Cleaning Products and Materials, 90%	1
1	Credit 3.7	Green Cleaning - Sustainable Cleaning Equipment	1
1	Credit 3.8	Green Cleaning - Entryway Systems	1
Yes			
<b>34**</b>	<b>Project Totals (pre-certification estimates)</b>		<b>92 Points</b>

Certified: 34-42 points; Silver, 43-50 points; Gold, 51-67 points; Platinum, 68-92 points

To download the EcoSource catalog, visit [www.jasmro.com](http://www.jasmro.com) and click on the EcoSource logo. If you have any questions regarding EcoSource, please call 1-877-ECO-SRCE, or email us at [ecosourcemro@sexauer.com](mailto:ecosourcemro@sexauer.com).

\* THIS CHECKLIST HAS BEEN ABRIDGED TO SHOW ONLY LEED-EB: O&M CREDITS THAT ECOSOURCE CAN HELP YOU ATTAIN. TO VIEW THIS CHECKLIST IN ITS ENTIRETY VISIT [WWW.USGBC.ORG](http://WWW.USGBC.ORG).  
 \*\* PRODUCTS DO NOT DIRECTLY CONTRIBUTE TO LEED POINTS. THE POINT TOTALS THAT WE HAVE PROVIDED IN THIS CHECKLIST INDICATE THE MAXIMUM POINTS ATTAINABLE BY PURCHASING PRODUCTS INCLUDED IN OUR ECOSOURCE PURCHASING PROGRAM AND FOLLOWING THROUGH WITH ENVIRONMENTALLY PREFERABLE PRACTICES UPON PURCHASING FROM THIS PROGRAM (PROPER INSTALLATION, DISPOSAL, ETC.). ALL CALCULATIONS ARE BASED ON MANUFACTURER PRODUCT SPECIFICATIONS.

# ZURN EcoVantage™ Z5798 Ultra Low Consumption Urinal

The Pint™

## Z5798

**Ultra Low Consumption  
Urinal System**  
(1/8 GPF)

The urinal system that leads the way with ultra low water consumption, latest in sensor technology, and high quality vitreous china.



### Features and Benefits:

**1/8 Gallon of Water Per Flush Every Time**  
Internal flow regulator guarantees consistent water savings with each flush.

**Sanitary Washdown and Trap Water Exchange**  
Optimized distribution plate and water trap pass all ASME A112.19.2 urinal performance tests.

### High Efficiency Alternative to Waterless Urinals

- Lower building maintenance costs.
- No replacement traps to buy or maintain.
- Satisfies end user who prefers washdown action, providing more sanitary feel.
- Saves over 30,000 gallons of water per year over standard urinal.

### Sensor Flush with Smart Technology

Sanitary hands-free operation with the latest in sensor technology.

### Battery Operated

Optimized electronics for 200,000 cycle battery life.

### All Metal Chrome-Plated Housing

Heavy-duty commercial grade construction to resist vandalism.

### Chloramine Resistant Internal Seals

Long lasting, dependable performance in harsh water conditions.

### Easy to Retrofit

- In many cases, urinal can be retrofitted to existing carrier and outlet rough-ins.
- Large wall footprint to cover existing installations.
- Flush valve mounts to standard urinal stool valves.

The Z5798 total yearly cost of operation is \$22.75.

### Z5798 Comparative Cost of Operation

	Male Occupants in Facility	Frequency of Use Daily	Gallons Per Cycle (Day)	Total Gallons Per Year	Water/ Sewage Yearly Cost
Z5798	50	2	12.5	3,250	\$22.75
1.0 Gallon Per Flush	50	2	100	26,000	182.00
1.5 Gallon Per Flush	50	2	150	39,000	273.00
3.0 Gallon Per Flush	50	2	200	78,000	546.00



## EcoSource Purchasing

### A Gradual Approach to Greening your Facilities.

We know that things don't happen overnight. Change, even positive change, takes time and needs to progress at a realistic pace. With EcoSource, adjusting your purchasing to incorporate more green products and practices can be a gradual process.

### Choose A Resource Area.

Perhaps the best way for your organization or facility to get started is to select a resource area — like lighting, faucets and plumbing fixtures, or HVAC equipment and filters. Or make it as simple as just starting with cleaning materials.

### Choose An Entire Facility.

Or it may be easier for you to see the total savings and impact potential of green MRO practices by selecting an entire facility for EcoSource application. Either way, take a small step toward savings and environmental responsibility. We're here to help you do it at the pace that's right for you.

### Who Says It's Green?



The U.S. Green Building Council, of which Interline Brands is a member, is the driving authority behind green initiatives for facilities. As a non-profit organization of the country's foremost leaders from across the building industry, the USGBC is working to promote buildings that are environmentally responsible, economically profitable, and healthy, productive places to live and work.

### A Value-Added Program – Not Just Products.

- Moves at your pace.
- Successes drive subsequent steps.
- Progress, not perfection.



#### Level 1

A single facility or resource area is "greened" with the help of your Relationship Manager and monitored for success against measurements we set together.



#### Level 2


A market, region or any grouping of facilities can be "greened" in a single resource area or in all four areas. You enjoy purchasing efficiencies and economies.



#### Level 3

You utilize EcoSource products and practices throughout your portfolio of properties. There are significant purchasing efficiencies and economies.

To Receive Catalog  
Call **800.431.1872**  
Or Contact Your  
Local Sales Manager



### Key Product Areas



#### Water Conservation

Automatic shut-off devices  
Low-flow showerheads  
Electronic and sensor-operated faucets  
Low consumption toilets



#### Materials Selection

Low or toxin-free chemicals  
Recycled paper products  
Dispensers in common areas  
Can liners



#### Energy Efficiency

Compact fluorescent lamps  
High efficiency HVAC equipment  
Energy Star appliances  
Tankless water heaters



#### Indoor Air Quality

HEPA vacuum cleaners/filters  
Paint and coatings  
Entrance matting  
Microfiber

Call: **800.431.1872**




Visit: **www.JASMRO.com**



# “Going Green” has never been easier!

EcoSource was designed to help you select the best products to help you improve your facility’s level of efficiency while improving your environmental impact. With our full selection of more than 800 eco-friendly products, we can help you retrofit your facility for simple repairs, upgrades, or even comprehensive facility renovations. EcoSource is intended to help you “go green” at the pace that is right for you.

Our online EcoSource catalog is filled with information to help you learn how your facility can contribute to sustaining the environment just by purchasing from our environmentally preferable assortment of products. We believe that by educating you on how the products that you purchase affect the environment, you in turn will find it easier to green your facility.

 <p><b>Water Conservation</b> Automatic shut-off devices Low-flow showerheads Electronic and sensor-operated faucets Low consumption toilets</p>	 <p><b>Materials Selection</b> Low or toxin-free chemicals Recycled paper products Dispensers in common areas Can liners</p>
 <p><b>Energy Efficiency</b> Compact fluorescent lamps High efficiency HVAC equipment Energy Star appliances Tankless water heaters</p>	 <p><b>Indoor Air Quality</b> HEPA vacuum cleaners/filters Paint and coatings Entrance matting Microfiber</p>

View our EcoSource green MRO catalog, online at [www.JASMRO.com](http://www.JASMRO.com)

